



LG Cloud Device

Your Productivity Secured



Why Cloud Device



What is Desktop Virtualization?

Desktop Virtualization is a VDI¹⁾ technology called the the Second PC Revolution, in which the PC body disappears from the office desk. Users work through PCs or laptops, but the actual computing environment is how servers built in the data center operate. A PC can log in to a server in the data center and be used as needed, and can perform desktop operations continuously using VDI applications that use remote display protocols. Any computer or device can be used without having to carry the same computer around to use the same data and applications. There are many types of VDI services depending on the purpose and environment, and one is “VDI on premises,” which has independent servers. The other is “VDI on public cloud,” which leases freely. And, there is a hybrid option that has both types of services, VDI on premises and VDI on public cloud.

Comparison of Various Types of VDI Solutions				
	Expense	Flexibility	Security	VDI Solutions
VDI on Premises	High Installation Cost	Low	Extremely High	
VDI on Public Cloud	'Pay as you go' Subscription	High	High	

Why Cloud Device?

Many organizations and global enterprises are paying close attention to the explosive growth potential of the VDI market. Especially in VDI-based devices, the global Thin Client and Zero Client markets are expected to grow from USD 1,564 million by 2020²⁾. Establishing a cloud-based business environment with Thin Client and Zero Client, which are lighter than conventional PCs, it allows users accessing and computing by using VDI solutions and ultimately provides benefits such as cost savings, security, and improved productivity. LG Cloud Devices have various Thin Client and Zero Client forms, ranging from All-in-One to Box type, and add value to any work environment, from government to specific industries, with better performance and lower costs than conventional PC devices.

Comparison of Various Types of Client			
	Thick or Fat Client (Conventional PCs)	Thin Client	Zero Client
Processor	Over i3-class	Pentium or Celeron	Teradici SoC
Operating System	Windows, MacOS	Windows Embedded, Linux	-
RAM	Over 4GB	About 2-8GB	512MB
Storage	Over 128GB	Over 8GB	-
VDI Solution	Citrix, VMware, Amazon WorkSpaces, Microsoft Azure	Citrix, VMware, Amazon WorkSpaces, Microsoft Azure	VMware, Amazon WorkSpaces

1) Virtual Desktop Infrastructure
2) Source by Gartner, Juniper Research, Global Industry Analysts.

Security

How to block the leakage of information

Business Status

Companies are struggling to prevent leakage of information.

As most enterprises are facing various challenges in building integrated infrastructure, reducing operational costs, low security awareness and increasing data security, they also are struggling to prevent the leakage of core technologies and important information.

Security Awareness of Employees¹⁾



Random transfer of files to a personal computer when telecommuting

46%



Use of business devices for private purposes

63%



Indifferent to using proper information security processes when telecommuting

75%



Connecting to personal email account from business devices

78%

Expectation Effectiveness

Cloud environment can strengthen security.

Security is enhanced when replacing existing devices with cloud devices because a cloud environment is more secure than a conventional PC environment. In a cloud environment, it is possible to build integrated infrastructure, reduce operational costs and tighten security. Plus, it allows information to be managed and secured in a central server, eliminating the need to store important information in a personal computer.

¹⁾ Cisco, Data Leak Worldwide (2014)


Cost Effectiveness

How to reduce the TCO¹⁾

Business Status

Companies are having trouble with their legacy systems.


The longer a company's history, the more dependent they tend to be on legacy systems. This means that they experience difficulties such as the inability to cope promptly with the changing business environment, or increased IT infrastructure maintenance cost.



Expectation Effectiveness

Switching to the cloud environment can save up to 51% on TCO annually.

Using the cloud computing and cloud devices to modernize legacy systems can reduce maintenance and rental costs. An ideal cloud environment can reduce Total Cost of Ownership (TCO) by approximately 51%.



1) Total Cost of Ownership, an estimated of all the direct and indirect costs involved in acquiring and operating a product of system over its lifetime

2) IDC, Reasons Why We Must Upgrade the Server Infrastructure Now (2016)

3) LG Electronics internal data, estimated figure based on 1,000 annual users




Work Efficiency

How to improve work efficiency

Business Status

Mobility demand is increasing.

In most companies, work does not occur only in fixed office. Therefore, in order to improve the efficiency of the work, the contents of the network system that enables remote work from outside the office should be considered. In addition, when collaborating with related departments, most companies struggle with the lack of systematically integrated digital administration and inefficient communication among departments, decreasing work efficiency and sustainable profit generation. Also, they need new communication solutions to handle diversification in the workplace and increase collaboration and compatibility among different devices used by each worker.



Expectation Effectiveness

Cloud device makes the working environment pleasant.

When replacing existing devices with cloud devices, work efficiency is increased. It frees up physical space by reducing the required desk space needed, and it supports a fanless CPU, reducing noise for a more pleasant work environment while still offering the same level of performance.

Cloud environment leads digital innovation.

In addition, cloud environments lead to more digital innovation. Through the centralization of data, analyzing customer and market information in real time and efficiently managing and maintaining IT infrastructure allows for resources to be reallocated and improves the operational efficiency of the IT infrastructure. Plus, it establishes a more creative, collaborative organizational culture, enabling innovation in business.

¹⁾ Optimaze, Workplace Review (2018)

Benefits by Vertical

Finance | Large & Middle-sized Company | Government | Education | Hospital

Finance



SECURITY

LG Thin Client never stores valuable, sensitive financial information. Instead, that information remains safe at the data center and is only accessible by authorized users, bringing peace of mind to your office and the clients who depend on you.



TCO

Reduce TCO by reducing the number of IT managers and staffing costs. You can create new services and gain a competitive advantage by expanding contacts with customers.



WORK EFFICIENCY

Seconds can make all the difference in the high-stakes world of investing. Trading clunky and demanding PCs for streamlined LG Thin Client Devices lets the office do more with less IT involvement, eliminating potential down-time due to constant updates or maintenance.

Large & Middle-sized Company



SECURITY

Using a cloud device can strengthen security at the device level. In a Zero Client setup, installation or modification of files by the end user must be approved by an administrator because there is no separate internal storage space. Unlike Zero Client, thin client does have a certain amount of storage, but it has better security than an ordinary PC environment because the usage and users of storage devices can be restricted through the management console and application.



TCO

Operational cost is composed of the cost required for staff to manage the IT network and the losses incurred due to IT network problems. Normally, an IT network administrator can manage about 65 ordinary PCs per year. In the case of cloud devices, however, one administrator can manage up to 130 devices per year. In addition, with a cloud environment, you can easily replace any failed device with another and continue working from where you left off with little or no impact.



WORK EFFICIENCY

Compared to traditional PCs, LG Thin Clients simplify management and compliance. IT administrators can update software and implement rule changes from a single management console—for instance, making software security updates at the data center and limiting the use of USB drives across the Thin Client fleet. The relative simplicity of the process can improve overall compliance and free administrators to focus on other tasks.

Government



SECURITY

Since LG Thin Clients run virtual desktops and applications at the data center, it's difficult for malware and viruses to establish a foothold at the endpoint. In addition, versatile connectivity allows the integration of supplemental measures such as biometric security readers, helping prevent unauthorized access and keeping government and non-profit institutions safe and secure.



TCO

Evolving a traditional, PC-based environment to an LG Thin Client model can help make the most of every hardware dollar spent without sacrificing performance or effectiveness. As a result, you can leverage your budget in a rational way while improving performance.



WORK EFFICIENCY

Save time with a Thin Client fleet that requires less upkeep than most traditional PCs. An entire fleet can be updated from one centralized terminal, eliminating the need to constantly update individual devices.

Education



SECURITY

LG Thin Clients are a natural choice for protecting student data in accordance with the Family Educational Rights and Privacy Act (FERPA), including grades, financial aid information, contact information, and more. With less endpoint exposure, data remains safe in the data center.



TCO

Educational institutions can manage their digital devices with a relatively low resource management budget, making it easy to build a digital learning environment.



WORK EFFICIENCY

LG Thin Clients let students and staff access valuable research tools by logging into their own virtual desktops from any available Thin Client. This model maximizes the usability of every Thin Client, increases user access to shared resources, and helps to maintain endpoint security through dedicated log-in credentials.

Hospital



SECURITY

No patient data is stored on an LG Thin Client, and important system and application software is centralized at the data center. This structure, combined with centralized data storage, helps to eliminate key vulnerabilities of traditional endpoint devices, making LG Thin Clients a significant part of a robust, HIPAA¹⁾-compliant infrastructure. For additional security, the versatile connectivity of LG Thin Clients makes it easy to add biometric authentication devices for additional security at log-in.



TCO

Offers enhanced healthcare services by managing the hospital's maintenance costs.



WORK EFFICIENCY

Optimized healthcare can be achieved by simultaneously reviewing medical information and treating a patient safely via telemedicine. In addition, LG Thin Clients let medical professionals securely log in and access information and resources from a protected data center.

1) Health Insurance Portability and Accountability Act of 1996.



What Makes LG Cloud Device Competitive?

UltraWide™ All-in-One

MULTI-TASKING

LG boasts not only competitive models within various product types from All-in-One to Box type with the customary specifications, but also high-end products equipped with a 38-inch curved WQHD+ UltraWide™ display for the first time in the cloud device industry. This 38-inch UltraWide™ All-in-One has 2.4 times more workspace than a 16:9 Full HD monitor, allowing for seamless office work. You can view more data and charts at once without enlarging or reducing various office programs. In addition, PBP/PIP features allow the user to write an email while analyzing lots of data and multiple charts simultaneously on a single monitor without adjusting the window size or switching between programs by splitting the screen as needed.

IPS Display

CLEAR PICTURE QUALITY AND WIDE VIEWING ANGLE

IPS (In-Plane Switching) technology provides visual comfort for researching or for reviewing documents and charts with others, presenting clear images from any angle without any color distortion. LG's All-in-One Cloud Device, which ranges from Thin Client to Zero Client, uses IPS displays instead of TN or VA panels, giving users visual comfort and efficiency no matter which device is selected.

Design

MULTI-SCREEN WITH SAME LOOKING LG MONITORS

LG's All-in-One Cloud Device has the same look as an LG monitor, allowing it to integrate neatly into the existing office environment. LG is a global innovator in technology and manufacturing. And, LG is leading the technology in products with built-in display, especially TVs and monitors, which are widely used around the world. Therefore, having the same appearance as the commonly used LG monitor delivers many benefits for the office environment. Screens can be expanded cleanly and visually in the office, naturally creating a seamless multitasking environment.

The Match Maker

LG has a diverse cloud device lineup that can be applied to any business environment. The LG Cloud Device is interoperable, allowing you to connect directly to your existing infrastructure, and is also highly manageable through the management console. We have a high-quality, large-format display lineup, providing a direct solution for business efficiency. Find the best LG Cloud Device for your business.

Step 1

Choose one of the Zero / Thin Client methods to suit your business environment.



ZERO CLIENT

Since the PC performs only the role of a terminal, it is advantageous to concentrate the data and maximize the efficiency of management.

vmware  WorkSpaces



THIN CLIENT

High-performance CPU and memory use maintains efficient management, beyond normal document work, so even a simple level of graphics work is supported.

All VDI's

Step 2

Choose either All-in-One or Box Type to suit your existing setup and work environment.



ALL-IN-ONE TYPE

The All-in-One Cloud Device having a 21:9 UltraWide or 16:9 Conventional display that ensure IPS-based premium picture quality enables more efficient use of space.



BOX TYPE

Space can be utilized more efficiently with a Box Type Cloud Device, which is lighter than PC and takes on the role of the PC.

Step 3

Choose one of the Zero / Thin Client methods to suit your business environment.

		THIN CLIENT							ZERO CLIENT			
		All-in-One					Box Type		All-in-One		Box Type	
		38CL950P	34CN650W 34CN650N	27CN650W 27CN650N	24CK550W 24CK550N	24CK560N	CL600W CL600N	CK500W CK500N	24CK550Z	20CAV37K	CBV42-BP	
Display	IPS Display	✔	✔	✔	✔	✔	No Display / No Stand		✔	✔	No Display / No Stand	
	Inch	37.5-inch	34-inch	27-inch	24-inch	24-inch			24-inch	20-inch		
	Aspect Ratio	21:9	21:9	16:9	16:9	16:9			16:9	16:10		
	Resolution	WQHD+	WFHD	Full HD	Full HD	Full HD			Full HD	WXGA+		
	PBP	✔										
Ergonomic Stand	Tilt	✔	✔	✔	✔	✔			✔	✔		✔
	Swivel			✔	✔	✔			✔	✔		✔
	Pivot			✔	✔	✔			✔	✔		✔
	Height	✔	✔	✔	✔	✔			✔	✔		✔
Connectivity	4K Resolution Support	✔	✔	✔	✔	✔	✔	✔				
	USB Type-C™	✔	✔	✔			✔					
	Display Port		✔	✔	✔	✔	✔	✔	✔		✔	
Convenience	Fanless Design	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	
	Built-in Speaker	✔	✔	✔	✔	✔	✔		✔	✔		
	Mic-in	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	
	Webcam	✔	✔	✔								
VDI Support	VMware	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	
	Citrix	✔	✔	✔	✔	✔	✔	✔				
	Amazon Workspace	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔	
	Windows Virtual Desktop	✔	✔	✔	✔	✔	✔	✔				

Product Brief

LG Cloud Device Thin Client

38CL950P

38-inch UltraWide™ All-in-one



21:9 UltraWide™ WQHD+ IPS Display



AMD Ryzen™ Embedded



1 Display Support



PBP



Fanless Design



USB Type-C™

34CN650W/N

34-inch UltraWide™ All-in-one



21:9 UltraWide™ Full HD IPS Display



Intel® Quad-core



Up to 2 Displays Support



USB Type-C™



Fanless Design



Built-in Webcam & Speaker

27CN650W/N

27-inch All-in-one



16:9 Full HD IPS Display



Intel® Quad-core



Up to 2 Displays Support



USB Type-C™



Fanless Design



Built-in Webcam & Speaker

Product Brief

LG Cloud Device Thin Client

24CK550W/N

24-inch All-in-one



- IPS 16:9 Full HD IPS Display
- 1 Display Support
- Built-in Speaker
- Fanless Design

24CK560N

24-inch All-in-one for Healthcare



- IPS 16:9 Full HD IPS Display
- IEC60601 certified
- Fanless Design
- Ergonomic Design

CL600W/N

Box Type



- Intel® Quad-core
- DDR 4 Memory
- Up to 3 Displays Support
- USB Type-C™

CK500W/N

Box Type



- Up to 2 Displays Support
- Connectivity
- Fanless Design

Product Brief

LG Cloud Device Zero Client

24CK550Z

24-inch All-in-one



16:9 Full HD
IPS Display



Ergonomic Design



PCoIP



Built-in Speaker

20CAV37K

20-inch All-in-one



16:10 WXGA+
IPS Display



Ergonomic Design



PCoIP



Built-in Speaker

CBV42-BP

Box Type



Connectivity



Fanless Design



PCoIP



DisplayPort Out

Specification

Thin Client

All-in-One Thin Client

Category		UltraWide™ All-in-One			All-in-One	
Model		38CL950P	34CN650W / 34CN650N	27CN650W / 27CN650N	24CK550W / 24CK550N	24CK560N
Display	Inch	37.5"	34"	27"	23.8"	23.8"
	Aspect Ratio	21:9	21:9	16:9	16:9	16:9
	Panel Type	IPS (Curved)	IPS	IPS	IPS	IPS
	Resolution	3840x1600	2560x1080	1920x1080	1920x1080	1920x1080
	Brightness (Typ./Min.)	300cd/m², 240cd/m²	300cd/m², 240cd/m²	250cd/m², 200cd/m²	250cd/m², 200cd/m²	250cd/m², 200cd/m²
	Contrast Ratio	1,000:1 (Typ.)	1,000:1 (Typ.)	1,000:1 (Typ.)	1,000:1 (Typ.)	1,000:1 (Typ.)
	Response Time (GTG)	5ms (High)	5ms (High)	5ms (High)	5ms (High)	5ms (High)
System	Viewing Angle (CR> 10)	178°/178°	178°/178°	178°/178°	178°/178°	178°/178°
	Processor	AMD V1605 (4core 8thread)	Intel® Celeron J4105	Intel® Celeron J4105	AMD Pairie Falcon GX-212JJ	AMD Pairie Falcon GX-212JJ
	OS	Windows 10 Professional	34CN650W: Windows 10 IoT Enterprise 34CN650N: Non OS	27CN650W: Windows 10 IoT Enterprise 27CN650N: Non OS	24CK550W: Windows 10 IoT Enterprise 24CK550N: Non OS	Non OS
	Memory	8GB DDR4	34CN650W: 8GB DDR4 34CN650N: 4GB DDR4	27CN650W: 8GB DDR4 27CN650N: 4GB DDR4	4GB DDR4	4GB DDR4
	Graphic	Integrated	Integrated	Integrated	Integrated	Integrated
Connectivity	Storage (SSD)	128GB	34CN650W: 128GB 34CN650N: 16GB eMMC	27CN650W: 128GB 27CN650N: 16GB eMMC	32GB	32GB
	DisplayPort	-	1xDP (Output)	1xDP (Output)	1xDP (Output)	1xDP (Output)
	HDMI	1xHDMI (Input)	1xHDMI (Input)	1xHDMI (Input)	1xHDMI (Input)	1xHDMI (Input)
	USB	4 x USB 3.1, 2 x USB 3.1 Type-C (With DisplayPort Out), 1 x USB 3.1 Type-C (in)	1xUSB 3.1 Type-C (With DisplayPort Out), 4 x USB 3.1, 2 x USB 2.0	1xUSB 3.1 Type-C (With DisplayPort Out), 4 x USB 3.1, 2 x USB 2.0	4 x USB2.0 / 2 x USB3.0	4 x USB2.0 / 2 x USB3.0
	Mic-in Headphone Out	Mic-in & Headphone Out Combo	Mic-in & Headphone Out Combo	Mic-in & Headphone Out Combo	Yes Yes	Yes Yes
Network	Wireless	Intel Dual Band Wireless-9260, 802.11ac 2x2 (BT 5.0 Combo, Internal Dual Antenna)	Dual Band 802.11a/b/g/n/ac 2x2 (BT 5.0 Combo, Internal Antenna)	Dual Band 802.11a/b/g/n/ac 2x2 (BT 5.0 Combo, Internal Antenna)	Intel Dual Band Wireless-AC 3168 1x1 AC (AGN support, BT 4.0 - LE Combo)	Intel Dual Band Wireless-AC 3168 1x1 AC (AGN support, BT 4.0 - LE Combo)
	Bluetooth	BT 5.0	BT 5.0	BT 5.0	over BT4.0	over BT4.0
	Ethernet	Yes (Gigabit)	Yes (Gigabit)	Yes (Gigabit)	Yes (Gigabit)	Yes (Gigabit)
Speaker	Built-in Stereo	Yes (10W x 2)	Yes (5W x 2)	Yes (3W x 2)	Yes (3W x 2)	Yes (3W x 2)
Dimension & Weight	W x D x H (with Stand)	897.3 x 235 x 634.7 (mm)	825.6 x 230 x 470.7 (mm)	622.3 x 239.6 x 531.7 (mm)	533.8 x 240 x 512.9 (mm)	533.8 x 240 x 512.9 (mm)
	W x D x H (without Stand)	897.3 x 100.3 x 424 (mm)	825.6 x 60.5 x 374.8 (mm)	622.3 x 61 x 371.5 (mm)	533.8 x 67.6 x 333.1 (mm)	533.8 x 67.6 x 333.1 (mm)
	Weight (with Stand)	10.2kg	8.3kg	7.8kg	6.1kg	6.1kg
	Weight (without Stand)	8.8kg	6.6kg	5.6kg	3.95kg	3.95kg
Stand	VESA	100 x 100 (mm)	100 x 100 (mm)	100 x 100 (mm)	100 x 100 (mm)	100 x 100 (mm)
	Adjustable Stand	Tilt : -5~15° Height Range : 100mm	Tilt : -5~15° Height Range : 100mm	Tilt : -5~15°, Swivel : 0~355° Height Range : 130mm Pivot : ±90° (Bi-directional)	Tilt : -5~35°, Swivel : 0~355° Height Range : 130mm Pivot : ±90° (Bi-directional)	Tilt : -5~35°, Swivel : 0~355° Height Range : 130mm Pivot : ±90° (Bi-directional)
Webcam	Webcam	Yes	Yes (Full HD, Pop-up type)	Yes (Full HD, Pop-up type)	-	-
Security	TPM (Trust Platform Module)	Hardware TPM 2.0	Hardware TPM 2.0	Hardware TPM 2.0	Software TPM	Software TPM
Standard	Medical Standard	-	-	-	-	IEC60601, CE MDD, FDA Class I

Box Type Thin Client

Model		CL600W	CL600N	CK500W	CK500N
System	Processor	Intel® Celeron J4105		AMD Pairie Falcon GX-212JJ	
	OS	Windows 10 IoT Enterprise	Non OS	Windows 10 IoT Enterprise	Non OS
	Memory	8GB DDR4	4GB DDR4	4GB DDR4	
	Graphic	Integrated		Integrated	
	Storage (SSD)	128GB	16GB	32GB	
Connectivity	DisplayPort	2xDP (Output)		1xDP (Output)	
	HDMI	-		1xHDMI (Output)	
	DVI-I	-		1xDVI (Output)	
	USB	2 x USB 2.0, 4 x USB 3.1, 1 x USB 3.1 Type-C (With DisplayPort Out)		4 x USB2.0 / 2 x USB3.0	
Network	Mic-in & Headphone Out Combo	Yes		Yes	
	Wireless	Dual Band 802.11a/b/g/n/ac 2x2 (BT 5.0 Combo, External Antenna)		Intel Dual Band Wireless-AC 3168 1x1 AC (AGN support, BT 4.0 - LE Combo)	
	Bluetooth	BT5.0		BT4.0	
	Ethernet	Yes (Gigabit)		Yes (Gigabit)	
Speaker	Built-in Stereo	-		-	
Dimension & Weight	W x D x H (without Stand)	199 x 137 x 35 (mm)		180 x 39.9 x 117 (mm)	
	Weight (without Stand)	0.8kg		1kg	
	VESA	100 x 100 (mm), 75 x 75 (mm)		100 x 100 (mm), 75 x 75 (mm)	
Security	TPM (Trust Platform Module)	Hardware TPM 2.0		Software TPM	

Specification

Zero Client

All-in-One Zero Client

Model		24CK550Z	20CAV37K
Display	Inch	23.8"	19.45"
	Aspect Ratio	16:9	16:10
	Panel Type	IPS	IPS
	Resolution	1920x1080	1440x900
	Brightness (Typ./Min.)	250cd/m², 200cd/m²	250cd/m², 200cd/m²
	Contrast Ratio	1,000:1 (Typ.)	1,000:1 (Typ.)
	Response Time (GTG)	5ms (High)	14ms
	Viewing Angle (CR>10)	178°/178°	178°/178°
System	Processor	Teradici TERA2321	Teradici TERA2321
	OS	-	-
	Memory	512MB	512MB
	Storage	-	-
Connectivity	DisplayPort	1xDP (Output)	-
	HDMI	-	-
	DVI-I	-	1xDVI-I (Output)
	D-Sub	1xD-Sub (Input)	1xD-Sub (Input)
	USB	6 x USB2.0	6 x USB2.0
	Mic-in	Yes	Yes
	Headphone Out	Yes	Yes
Network	Wireless	-	-
	Bluetooth	-	-
	Ethernet	Yes (10/100/1000)	Yes (10/100/1000)
Speaker	Built-in Stereo	Yes (3W x 2)	Yes (5W x 2)
Dimension & Weight	W x D x H (with Stand)	553.8 x 512.9 x 240 (mm)	452.3 x 258.6 x 369.4 (mm)
	W x D x H (without Stand)	553.8 x 333.1 x 67.6 (mm)	452.3 x 50.8 x 299.4 (mm)
	Weight (with Stand)	6.0kg	4.2kg
	Weight (without Stand)	3.85kg	3.55kg
	VESA	100 x 100 (mm)	100 x 100 (mm)
Stand	Adjustable Stand	Tilt : -5~35°, Swivel : 0~355° Height Range : 130mm Pivot : ±90° (Bi-directional)	Tilt : -5~35°, Swivel : 0~355° Height Range : 130mm, Pivot : 90°
Webcam	Webcam	-	-
Security	TPM (Trust Platform Module)	-	-

Box Type Zero Client

Model		CBV42-BP
System	Processor	Teradici TERA2321
	OS	-
	Memory	512MB
	Storage	-
Connectivity	DisplayPort	1xDP (Output)
	HDMI	-
	DVI-I	1xDVI-I (Output)
	D-Sub	-
	USB	6 x USB2.0
	Mic-in	Yes
	Headphone Out	Yes
Network	Wireless	-
	Bluetooth	-
	Ethernet	Yes (10/100/1000)
Speaker	Built-in Stereo	-
Dimension & Weight	W x D x H (with Stand)	70 x 144 x 189 (mm)
	W x D x H (without Stand)	185 x 144 x 31 (mm)
	Weight (with Stand)	0.66kg
	Weight (without Stand)	0.66kg
	VESA	100 x 100 (mm), 75 x 75 (mm)



LG Electronics Inc.

<http://www.lge.com/b2b>

LG may make changes to specifications and product descriptions without notice.

Copyright © 2020 LG Electronics Inc. All rights reserved.

The names of products and brands mentioned here may be the trademarks of their respective owners.