



**INTERNATIONAL AIRPORT**

**Departure** 9:50 AM

Flight	STD	To/Via	Counter	Remark	Flight	STD	To/Via	Counter	Remark
MI2263	11:05	Wisconsin	L10-L12	Cancelled	MU9643	12:05	Berlin	A1-10	Check-In
MI2984	11:10	Michigan	K20-K29	Check-In	MU2432	12:10	Paris	A11-A20	Check-In
MF8740	11:10	Nevada	M20-M2	Check-In	MH3720	12:20	London	C20-C25	Check-In
MI2154	11:15	New Jersey	M20-M2	Check-In	3U8154	12:25	Rome	E11-E17	Cancelled
CZ6230	11:20	California	L3-L10	Check-In	MI2890	12:40	Budapest	E1-E10	
G52091	11:25	Colorado	K20-K29	Check-In	CH5903	12:45	Lisbon	DS-D12	
CZ6455	11:30	Florida	N6-N10	Cancelled	3U8879	12:50	Monaco	F1-F3	
HO1078	11:35	Mississippi	N1-N5	Check-In	1U6350	13:00	Amsterdam	F5-F10	
MU2286	11:40	Missouri	O10-O15	Check-In	CH3212	13:10	Prague	S10-S15	
3U8195	11:45	Virginia	M10-13	Check-In	3U2111	13:15	Viadrin	DS-D12	
MF2378	11:50	Pennsylvania	M10-13	Check-In	MU9651	13:20	Stockholm	F5-F10	
MI211Q	11:55	Texas	M2	Check-In	MI1212	13:30	Ankara	E1-E10	



\* All images are for illustrative purposes only.

**INDOOR** LG LED SIGNAGE

# LSCA Versatile Series

- 


Fast Installation
- 

Easy Maintenance
- 

Two Cabinet Options
- 


90° Corner Design Available
- 

Front or Rear Serviceability



### Fast Installation

Various factors including magnets on the top and bottom, positioning pins, handles and fast locks help installers easily set up and dismantle the LED screens without additional tools.



### Easy Maintenance

The LSCA series applied a simple Lock Fixing method which requires no additional tools, making it easier to replace LED modules or power/data units. It saves cost and time for maintenance.




### Two Cabinet Options

The LSCA series offers two sizes of cabinets, enabling a screen size configuration that fits perfectly with customer's demands.



### 90° Corner Design Available


If you add a 90° corner option, the LSCA series can deliver flawless content even when installed on right-angled structures.



### Front or Rear Serviceability

The product offers either front access or rear access, allowing customers to choose installation options according to their environment and minimizes limitations in installation and maintenance.


# PRODUCT INFORMATION



### LSCA Series

Pixel Pitch	2.97 / 3.91 mm
Brightness	1,000 nit
Refresh Rate	2,880 / 3,840 Hz
Serviceability	Front or Rear (One Option Only)
IP Rating	IP30

## DIMENSION (unit: mm)



Download  
LG C-Display+  
Mobile App

- [www.lg.com/global/business/information-display](http://www.lg.com/global/business/information-display)
- [www.youtube.com/c/LGCommercialDisplay](https://www.youtube.com/c/LGCommercialDisplay)
- [www.facebook.com/LGInformationDisplay](https://www.facebook.com/LGInformationDisplay)
- [www.linkedin.com/company/lginformationdisplay](https://www.linkedin.com/company/lginformationdisplay)
- [twitter.com/LG\\_ID\\_HQ](https://twitter.com/LG_ID_HQ)

LG may make changes to specifications and product descriptions without notice. Copyright © 2020 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.

